



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/715,782	11/18/2003	Dwayne Need	MFPCP110238	4543
<div>45809 7590 02/04/2009</div> <div>SHOOK, HARDY & BACON L.L.P.</div> <div>(c/o MICROSOFT CORPORATION)</div> <div>INTELLECTUAL PROPERTY DEPARTMENT</div> <div>2555 GRAND BOULEVARD</div> <div>KANSAS CITY, MO 64108-2613</div>				
EXAMINER				
PATEL, MANGLESH M				
ART UNIT		PAPER NUMBER		
2178				
MAIL DATE		DELIVERY MODE		
02/04/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/715,782

Applicant(s)

NEED ET AL.

Examiner

MANGLES M. PATEL

Art Unit

2178

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 November 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6, 8-20 and 22-32 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6, 8-20 and 22-32 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/S508)
Paper No(s)/Mail Date _____

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

1. This **Non-Final** action is responsive to the RCE filed on 11/24/2008.
2. In the continuation claims 1-6, 8-20 & 22-32 remain pending. Claims 1, 13, 25 and 30 are the independent claims.

Withdrawn Rejections

3. The 35 U.S.C. 103(a) rejections of claims 1-6, 8-20 & 22-32 with cited reference of Deleeuw (U.S. 5,828,900) has been withdrawn in light of the amendment

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-6, 8-20 & 22-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Deleeuw (U.S. 5,828,900, filed Jan 3, 1996) further in view of Srivastava (U.S. Pub 2004/0117803, filed Dec 17, 2002).

Regarding Independent claims 1 and 25, Deleeuw discloses a computerized method for processing a user input event having code associated therewith, said method comprising: Receiving notification of said input event, said notification including the associated code (column 1, lines 50-67, wherein the host input stream handles the notification of the input event which includes the code that is stored in a storage module); Determining whether a text converting component is interested in performing a conversion action with respect to said input event (column 2, lines 1-22, wherein the host multiple-byte character generator or IME with the set language my try to convert the input that may have been already translated by the guest character generator or application. Further Deleeuw indicates that a system is needed for application sharing that will disable the application from receiving the events, therefore it has to determine weather the text converting component is interested in performing a conversion in order to block the received events); Notifying an application of said input event by providing said application a sentinel value indicating a pending text event, when the text converting component is interested in performing said conversion action with respect to said input event (column 2, lines 1-22, wherein Deleeuw indicates that a system is needed to

disable the host application from receiving the events to avoid the generation of unpredictable and erroneous characters in an application). Deleeuw discloses Receiving from the application a specific request associated with said sentinel value to disclose said code, wherein said request is generated by the application incident to the application recognizing that said sentinel value represents a type of input event that is capable of being processed by said application (fig 3 shows the shared application 99 including the input module 30 that is in communication with the shared application. Column 7, lines 30-40 states "As noted above, one function of input module 30 is **to control input of events into shared application 99.**" Thus since the application accepts all input **and is in communication with** the input module, the input module is always receiving a request to disclose said code from the application). Deleeuw's invention is to prevent the application from processing and displaying such erroneous results for **ultimate use** by the application. Although Deleeuw doesn't explicitly describe sending a sentinel value to the application, he does describe that the event needs to be blocked from the application. Srivastava discloses a system for dynamically specifying exceptions and exception handlers for an application (see abstract & paragraphs 18-20). Thus with the use of Srivastava's dynamic exception handling the application would send a specific request associated with a sentinel value so that it knows that the data type can be handled by the application as part of the defined exception. At the time of the invention it would have been obvious to one of ordinary skill in the art to have modified the teachings of Deleeuw to include the dynamic exception handling features of Srivastava. The motivation for doing so would have been to determine application capabilities based on defined exceptions thereby preventing the application from generating errors.

Regarding Dependent claim 2, which depends on claim 1, Deleeuw discloses wherein said user input event is communicated via a keyboard, a screen with user input capability, a mouse, and/or a device with voice input capacity (column 2, lines 55-67, wherein the input event includes keyboard a display and a mouse device).

Regarding Dependent claims 3, 15 and 26, Deleeuw discloses wherein said code identifies at least a portion of a letter, a character, an ideograph or a symbol associated with said user input event (column 1, lines 25-39, wherein the multiple byte character generator that handles input events includes characters as part of the code).

Regarding Dependent claim 4, which depends on claim 1, Deleeuw discloses communicating said code to the application when the text converting component is not interested in processing said user input event (column 2, lines 1-22, wherein when the multiple-byte character generator is not interested in performing a conversion then the guest application handles the input event).

Regarding Dependent claims 5 and 18, Deleeuw discloses wherein the text converting component is configured to convert said code to a standard for coding text (column 1, lines 25-40). Deleeuw indicates that the text converting component or multiple-byte character generator supports Chinese and Japanese characters but fails to explicitly describe support for a standard. However at the time of the invention it would have been obvious to include support for a coding standard within the text converting component. The motivation for doing so would have been to allow the IME to handle multiple languages using only one character set thereby reducing the complexity of programming.

Regarding Dependent claims 6 and 19, Deleeuw discloses wherein said standard is Unicode (column 1, lines 25-40). Deleeuw indicates that the text converting component or multiple-byte character generator supports Chinese and Japanese characters but fails to explicitly describe support for Unicode encoding. However at the time of the invention it would have been obvious to include support for a coding standard within the text converting component. The motivation for doing so would have been to allow the IME to handle multiple languages using only one character set thereby reducing the complexity of programming.

Regarding Dependent claim 8, which depends on claim 1, Deleeuw discloses determining whether a computer component is interested in processing said input event (column 2, lines 1-22, wherein the host multiple-byte character generator or IME with the set language my try to convert the input that may have been already translated by the guest character generator or application. Further Deleeuw indicates that a system is needed for application sharing that will disable the application from receiving the events, therefore it has to determine weather the text converting component is interested in performing a conversion in order to block the received events).

Regarding Dependent claims 9, 24, 28 & 32, Deleeuw discloses obfuscating said code from an application when the computer component is interested in processing input event (column 2, lines 25-33, wherein the code is bypassed from an application when the guest application is interested in processing the input event).

Regarding Dependent claim 10, which depends on claim 9, Deleeuw discloses notifying the application that the computer component is interested in processing said input event (column 2, lines 25-33).

Regarding Dependent claims 11, 23 and 29, Deleeuw discloses wherein said computer component is an input method editor (column 2, lines 1-22).

Regarding Dependent claim 12, which depends on claim 8, Deleeuw discloses

wherein said computer component is configured to allow a user to enter at least a portion of a letter, a character, an ideograph or a symbol associated with a desired language (column 2, lines 1-22).

Regarding Independent claim 13, Deleeuw discloses a computer system for processing a user input event having code associated therewith, the system comprising: One or more text converting components (column 2, lines 1-22, wherein the host and guest include text converting components); One or more applications (fig 2, wherein the shared applications reside on the host as shown in numeral 99); An input manager configured to interact with said one or more text converting components and said one or more applications, wherein said input manager is configured to receive notification of an input event, said notification including the associated code, and wherein said input manager is further configured to prevent said one or more applications from handling said input event by providing a sentinel value indicating a pending text event, to the one or more applications when said one or more text converting components are interested in performing a conversion with respect to said input event, wherein said input manager is further configured to receive from an application a specific request to disclose said code, wherein said request is generated by the application incident to the application recognizing that said sentinel value represents a type of input event that is capable of being processed by said application, (column 2, lines 1-22, wherein Deleeuw indicates that a system is needed to disable the host application from receiving the events to avoid the generation of unpredictable and erroneous characters in an application. fig 3 shows the shared application 99 including the input module 30 that is in communication with the shared application. Column 7, lines 30-40 states "As noted above, one function of input module 30 is to control input of events into shared application 99." Thus since the application accepts all input and is in communication with the input module, the input module is always receiving a request to disclose said code from the application). Deleeuw's invention is to prevent the application from processing and displaying such erroneous results for **ultimate use** by the application. Although Deleeuw doesn't explicitly describe sending a sentinel value to the application, he does describe that the event needs to be blocked from the application. Srivastava discloses a system for dynamically specifying exceptions and exception handlers for an application (see abstract & paragraphs 18-20). Thus with the use of Srivastava's dynamic exception handling the application would send a specific request associated with a sentinel value so that it knows that the data type can be handled by the application as part of the defined exception. At the time of the invention it would have been obvious to one of ordinary skill in the art to have modified the teachings of Deleeuw to include the dynamic exception handling features of Srivastava. The motivation for doing so would have been to determine application capabilities based on defined exceptions thereby preventing the application from generating errors.

Regarding Dependent claim 14, which depends on claim 13, Delecuw discloses wherein said code is generated by a driver associated with an input device (fig 2, numeral 25, wherein the input includes a keyboard driver to handle the input events).

Regarding Dependent claim 16, which depends on claim 13, Delecuw discloses wherein said user input event is communicated via an input device that is not configured according to a desired language (column 1, lines 25-40, wherein the multiple-byte character generator handles input devices that are not configured in a desired language by converting the input to the desired language).

Regarding Dependent claim 17, which depends on claim 13, Delecuw discloses wherein said input manager is further configured to communicate said code to one or more applications when none of the text converters are interested in processing said user input event (column 2, lines 1-23, wherein when none of the text conversion programs are interested in processing the event then the event is passed to the guest applications).

Regarding Dependent claim 20, which depends on claim 13, Delecuw discloses wherein said input manager is further configured to notify the one or more applications that at least one of said text converting components is interested in performing a conversion action with respect to said input event (column 2, lines 1-23, wherein the guest applications are notified that the text converting component is interested in performing a conversion by bypassing the value in the host text converting application and sending it to the guest application).

Regarding Dependent claim 22, which depends on claim 13, Delecuw discloses one or more computer components (see fig 12).

Regarding Dependent claim 27, which depends on claim 25, Delecuw discloses a computer component interface component for determining whether one or more computer components are interested in handling said user input event (column 2, lines 55-67, wherein the interfacing component is shown in fig 2 between the host and guest machines for application sharing).

Regarding Independent claim 30, Delecuw discloses a computer system for processing a user input event having code associated therewith, the system comprising: Means for receiving notification of a user input event having code associated therewith, said notification including the associated code (column 1, lines 50-67, wherein the host input stream handles the notification of the input event which includes the code that is stored in a storage module); Means for converting said code to a value indicating a character or a symbol (column 1, lines 25-50, wherein the input includes a character code); One or more

applications (column 2, lines 1-22, wherein the host and guest contain multiple applications); Means for interacting with said one or more applications and said converting means in response to notification of said user input event, wherein said means for interacting are configured to prevent one or more applications from handling said user input event by providing a sentinel value indicating a pending text event, to the one or more applications when said converting means are interested in performing a conversion action with respect to said input event, wherein said means for interacting is further configured to receive from an application a specific request to disclose said code, wherein said request is generated by the application incident to the application recognizing that said sentinel value represents a type of input event that is capable of being processed by said application, (column 2, lines 1-22, wherein Deleeuw indicates that a system is needed to disable the host application from receiving the events to avoid the generation of unpredictable and erroneous characters in an application. fig 3 shows the shared application 99 including the input module 30 that is in communication with the shared application. Column 7, lines 30-40 states "As noted above, one function of input module 30 **is to control input of events into shared application 99.**" Thus since the application accepts all input **and is in communication with** the input module, the input module is always receiving a request to disclose said code from the application). Deleeuw's invention is to prevent the application from processing and displaying such erroneous results for **ultimate use** by the application. Although Deleeuw doesn't explicitly describe sending a sentinel value to the application, he does describe that the event needs to be blocked from the application. Srivastava discloses a system for dynamically specifying exceptions and exception handlers for an application (see abstract & paragraphs 18-20). Thus with the use of Srivastava's dynamic exception handling the application would send a specific request associated with a sentinel value so that it knows that the data type can be handled by the application as part of the defined exception. At the time of the invention it would have been obvious to one of ordinary skill in the art to have modified the teachings of Deleeuw to include the dynamic exception handling features of Srivastava. The motivation for doing so would have been to determine application capabilities based on defined exceptions thereby preventing the application from generating errors.

Regarding Dependent claim 31, which depends on claim 30, Deleeuw discloses further comprising means for editing an input method (column 1, lines 10-55, wherein the input method supports editing for selecting different languages and converting to its respective encoding as identified by the multiple-byte character generator).

It is noted that any citation [f/s] to specific, pages, columns, lines, or figures in the prior art references and any interpretation of the references should not be considered to be limiting in any way. A reference is relevant for all it contains and may be relied upon for all that it would have reasonably suggested to one having ordinary skill in the art. [f/See, MPEP 2123]]

Response to Arguments

6. Applicant's arguments filed 11/24/2008 have been fully considered but are moot in view of the new grounds of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Manglesh M. Patel whose telephone number is (571) 272-5937. The examiner can normally be reached on M, W 6 am-3 pm T, TH 6 am-2pm, Fr 9am-6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen S. Hong can be reached on (571) 272-4124. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Manglesh M. Patel
Patent Examiner (AU 2178)
January 30, 2009

/Manglesh M Patel/
Manglesh Patel
Examiner, Art Unit 2178

	/CESAR B PAULA/ Primary Examiner, Art Unit 2178
--	--

